
- 1 Metal Roof Deck
- (2) EQUUS Colphene 3000 Vapour Barrier
- (3) EQUUS PIR thermal insulation
- 4 EQUUS NOVA-SK base sheet (self-adhered)
- (5) EQUUS Peel & Stick primer
- (6) EQUUS NOVA-SK MINERAL cap sheet (self-adhered)
- (7) EQUUS cap sheet as separate piece over Plywood Plinth
- (8) Plywood Plinth
- 9 EQUUS bitumen fillet or approved alternative
- (10) Skylight Joinery





PROJECT:	Warm Roof on Metal Standard Detail - NOVA-SK FLAMELSS SYSTEM					
TITLE :	Skylight (PIR insulation)					
NUMBER :	SNWRMs-D8a			SCALE:	NTS	
DRAWN BY :	NKT	DATE :	30-Aug-2024	REVISED:		
Carrie Waterpreaf Mambres	was Waterman f Mambrana Details are anneally drawn for use by Local Authorities. Building Contractors, Equip Amplicators, Architects and design					

Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accomodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.

