



- ① Concrete Roof Slab laid to Fall
- ② EQUUS SOPRADERE QUICK primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS SOPRASUN PLUS 3 base sheet
- ⑥ EQUUS base sheet, dressed to Parapet as separate piece
- ⑦ EQUUS SOPRASUN PLUS MINERAL cap sheet
- ⑧ EQUUS cap sheet, dressed to Parapet as separate piece
- ⑨ EQUUS bitumen fillet or approved alternative
- ⑩ Approved capping (by others)



| | | | |
|------------|---|-----------|-------------|
| PROJECT : | Warm Roof on Concrete Standard Detail - SOPRASUN | | |
| TITLE : | Concrete parapet detail with roof cap flashing (PIR insulation) | | |
| NUMBER : | SSWRC-D1a | SCALE : | 1 : 3 |
| DRAWN BY : | NKT | DATE : | 31-Aug-2022 |
| | | REVISED : | |

Equis Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equis Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equis Industries Ltd. All components must be supplied by Equis Industries Ltd. Equis reserves the right to alter or upgrade details at any time without prior notice.

