

# EQUUS SOPREMA SOPRATHERM WARM ROOF SYSTEM

**Standard Details on Metal Substrate** 



40 % 1982-2022









## **CONTENTS**

SSWRM-D0a	Roof Build Up with PIR	1	SSWRM-D5b	Standard Pipe or SHS Penetration (Mineral Wool)	17
SSWRM-D0b	Roof Build Up with PIR and Roof Board	2	SSWRM-D5c	Standard Pipe or SHS Penetration with Cover Board (PIR)	18
SSWRM-D0c	Roof Build Up with Mineral Wool	3	SSWRM-D5d	Standard Pipe or SHS with Cover Board (Mineral Wool)	19
SSWRM-D0d	Roof Build Up with Mineral Wool and Roof Board	4	SSWRM-D6a	Electrical Conduit (PIR)	20
SSWRM-D1a	Concrete Parapet Detail with Roof Cap Flashing	5	SSWRM-D6b	Electrical Conduit (Mineral Wool)	21
SSWRM-D1b	Concrete Parapet with Roof Edge Profile (PIR)	6	SSWRM-D6c	Electrical Conduit with Roof Coverboard (Mineral Wool)	22
SSWRM-D1c	Concrete Parapet with Roof Cap Flashing (Mineral Wool	l) 7	SSWRM-D7a	Roof Equipment Support Batten (PIR)	23
SSWRM-D1d	Concrete Parapet with Roof Edge Profile (Mineral Wool)	8	SSWRM-D7b	Roof Equipment Support Batten (Mineral Wool)	24
SSWRM-D2a	Plywood Parapet with Roof Cap Flashing (PIR)	9	SSWRM-D7c	Roof Equipment Support Batten – Optional (PIR)	25
SSWRM-D2b	Plywood Parapet with Roof Edge Profile (PIR)	10	SSWRM-D7d	Roof Equipment Support Batten – Optional (Mineral Wool)	26
SSWRM-D2c	Plywood Parapet with Roof Cap Flashing (Mineral Wool)	11	SSWRM-D8a	Skylight (PIR)	27
SSWRM-D2d	Plywood Parapet with Roof Edge Profile (PIR)	12	SSWRM-D8b	Skylight (Mineral Wool)	28
SSWRM-D3a	Allproof Dome Clamp Ring Drain	13	SSWRM-D9a	Fall Restraint (PIR)	29
SSWRM-D3b	Aquaknight HiFlow Roof Drain	14	SSWRM-D9b	Fall Restraint (Mineral Wool)	30
SSWRM-D3c	Allproof Dome Clamp Ring Drain 168.80DCR	15	SSWRM-D10a	Connection to External Gutter (PIR)	31
SSWRM-D5a	Standard Pine or SHS Penetration (PIR)	16	SSWRM-D10h	Connection to External Gutter (Mineral Wool)	32








DRAWN BY:

to alter or upgrade details at any time without prior notice.



E-mail: admin@equus.co.nz

Web: www.equus.co.nz

specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right

Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job

REVISED:


29-Aug-2022

DATE:











Web: www.equus.co.nz

Warm R	Warm Roof on Metal Standard Detail - SOPRASUN								
Roof bu	Roof build up with PIR and roof board								
SSWRN	SSWRM-D0b SCALE: 1:1								
NKT	NKT DATE: 29-Aug-2022 REVISED:								
	Roof bu	Roof build up with	Roof build up with PIR and roof board  SSWRM-D0b	SSWRM-D0b SCALE:					

Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accomodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.


2











E-mail: admin@equus.co.nz

Web: www.equus.co.nz

DRAWN BY:

to alter or upgrade details at any time without prior notice.

DATE:

29-Aug-2022


3

REVISED:









4

Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accomodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right


to alter or upgrade details at any time without prior notice.

E-mail: admin@equus.co.nz Web: www.equus.co.nz























































E-mail: admin@equus.co.nz









specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right


to alter or upgrade details at any time without prior notice.

E-mail: admin@equus.co.nz









specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right


to alter or upgrade details at any time without prior notice.

E-mail: admin@equus.co.nz

























- (1) Metal Roof Deck
- (2) EQUUS Colphene 3000 Vapour Barrier
- 3 EQUUS PIR thermal insulation
- 4 Plywood
- (5) Sopradere Quick or Aquadere bitumen primer
- (6) EQUUS SOPRASUN PLUS 3 base sheet
- (7) EQUUS SOPRASUN PLUS MINERAL cap sheet
- (8) Allproof dome clamp ring drain 168.80DCR






PROJECT:	Warm R	Warm Roof on Metal Standard Detail - SOPRASUN								
TITLE:	Allproof	lproof dome clamp ring drain 168.80DCR								
NUMBER :	SSWRM	SSWRM-D3c SCALE: NTS								
DRAWN BY :	NKT	KT DATE: 29-Aug-2022 REVISED:								
Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design										




















professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accomodate job

specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right

17


to alter or upgrade details at any time without prior notice.

E-mail: admin@equus.co.nz






























PROJECT:	Warm F	Warm Roof on Metal Standard Detail - SOPRASUN								
TITLE :	Electric	Electrical conduit (PIR insulation)								
NUMBER :	SSWRN	SSWRM-D6a SCALE: 1:4								
DRAWN BY :	DRAWN BY: NKT DATE: 29-Aug-2022 REVISED:									
Equus Waterproof Membra	ne Details are	specially drawn	for use by Local Authorities	Building Contractors, Equu	s Applicators, Architects and design					














PROJECT:	Warm R	Warm Roof on Metal Standard Detail - SOPRASUN								
TITLE :	Electrica	Electrical conduit (Mineral wool insulation)								
NUMBER :	SSWRN	SSWRM-D6b SCALE: 1:4								
DRAWN BY :	DRAWN BY: NKT DATE: 29-Aug-2022 REVISED:									
Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design										



















- (1) Metal Roof Deck
- (2) EQUUS Colphene 3000 Vapour Barrier
- (3) EQUUS PIR thermal insulation
- (4) EQUUS SOPRASUN PLUS 3 base sheet
- (5) EQUUS SOPRASUN PLUS MINERAL cap sheet
- (6) EQUUS Permabase Dek roof cover board
- (7) Timber Roof Batten
- (8) EQUUS Sopradere Quick primer
- (9) EQUUS cap sheet as separate piece over Plywood Plinth
- (10) EPDM Washer under Screwhead
- (11) Roof Equipment









PROJECT :	Warm F	Warm Roof on Metal Standard Detail - SOPRASUN						
TITLE :	Roof Ed	Roof Equipment Support Batten (PIR insulation)						
NUMBER :	SSWRN	1-D7a		SCALE:	1:4			
DRAWN BY :	NKT	NKT DATE: 29-Aug-2022 REVISED:						
Equus Waterproof Membra	ne Details are	Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design						












- (1) Metal Roof Deck
- (2) EQUUS Colphene 3000 Vapour Barrier
- (3) EQUUS SOPRAROCK mineral wool thermal insulation
- (4) EQUUS SOPRASUN PLUS 3 base sheet
- (5) EQUUS SOPRASUN PLUS MINERAL cap sheet
- (6) EQUUS Permabase Dek roof cover board
- (7) Timber Roof Batten
- (8) EQUUS Sopradere Quick primer
- (9) EQUUS cap sheet as separate piece over Plywood Plinth
- (10) EPDM Washer under Screwhead
- (11) Roof Equipment









PROJECT:	Standar	Standard Detail							
TITLE :	Roof Ed	Roof Equipment Support Batten (Mineral wool insulation)							
NUMBER :	SSWRN	/I-D7b		SCALE:	1:4				
DRAWN BY :	NKT	NKT DATE: 29-Aug-2022 REVISED:							
Equus Waterproof Membrane Details are specially drawn for use by Local Authorities. Building Contractors. Equus Applicators. Architects and design									











- (1) Metal Roof Deck
- 2 EQUUS Colphene 3000 Vapour Barrier
- (3) EQUUS PIR thermal insulation
- (4) EQUUS SOPRASUN PLUS 3 base sheet
- (5) EQUUS SOPRASUN PLUS MINERAL cap sheet
- (6) EQUUS cap sheet as separate piece over Plywood Plinth
- (7) EQUUS Permabase Dek roof cover board
- (8) EQUUS Sopradere Quick primer
- (9) EQUUS bitumen fillet or approved alternative
- (10) EPDM Washer under Screwhead
- (1) Timber Roof Batten
- 12 Roof Equipment



### STEP 2: Fixing of the Equipment





PROJECT :	Warm R	Warm Roof on Metal Standard Detail - SOPRASUN							
TITLE :	Roof Eq	Roof Equipment Support Batten - optional (PIR insulation)							
NUMBER :	SSWRN	/I-D7c		SCALE :	1:4				
DRAWN BY :	NKT DATE: 29-Aug-2022 REVISED:								
Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design									











- (1) Metal Roof Deck
- (2) EQUUS Colphene 3000 Vapour Barrier
- (3) EQUUS SOPRAROCK mineral wool thermal insulation
- (4) EQUUS SOPRASUN PLUS 3 base sheet
- (5) EQUUS SOPRASUN PLUS MINERAL cap sheet
- (6) EQUUS cap sheet as separate piece over Plywood Plinth
- (7) EQUUS Permabase Dek roof cover board
- (8) EQUUS Sopradere Quick primer
- (9) EQUUS bitumen fillet or approved alternative
- (10) EPDM Washer under Screwhead
- (1) Timber Roof Batten
- 12 Roof Equipment



#### STEP 2: Fixing of the Equipment





PROJECT:	Warm F	Warm Roof on Metal Standard Detail - SOPRASUN						
TITLE :	Roof Ed	Roof Equipment Support Batten - optional (Mineral wool insulation)						
NUMBER :	SSWRN	/I-D7d		SCALE:	1:4			
DRAWN BY :	NKT	NKT DATE: 29-Aug-2022 REVISED:						
Equus Waterproof Membra	Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design							










- (1) Metal Roof Deck
- (2) EQUUS Colphene 3000 Vapour Barrier
- (3) EQUUS PIR thermal insulation
- (4) EQUUS SOPRASUN PLUS 3 base sheet
- (5) EQUUS SOPRASUN PLUS MINERAL cap sheet
- (6) EQUUS cap sheet as separate piece over Plywood Plinth
- (7) Plywood Plinth
- (8) EQUUS Sopradere Quick primer
- (9) EQUUS bitumen fillet or approved alternative
- 10 Skylight Joinery





PROJECT:	Warm R	oof on Met	al Standard Detail -	SOPRASUN		
TITLE:	Skylight	(PIR insula	ation)			
NUMBER :	SSWRM	1-D8a		SCALE:	1:4	1
DRAWN BY :	NKT	DATE :	29-Aug-2022	REVISED:		
Equus Waterproof Membran	e Details are	specially drawn t	for use by Local Authorities, E	Building Contractors, Equus	Applicators, Architects and design	










- (1) Metal Roof Deck
- (2) EQUUS Colphene 3000 Vapour Barrier
- (3) EQUUS SOPRAROCK mineral wool thermal insulation
- (4) EQUUS SOPRASUN PLUS 3 base sheet
- (5) EQUUS SOPRASUN PLUS MINERAL cap sheet
- (6) EQUUS cap sheet as separate piece over Plywood Plinth
- (7) Plywood Plinth
- (8) EQUUS Sopradere Quick primer
- (9) EQUUS bitumen fillet or approved alternative
- 10 Skylight Joinery






PROJECT:	Warm R	Warm Roof on Metal Standard Detail - SOPRASUN							
TITLE:	Skylight	kylight (Mineral wool insulation)							
NUMBER :	SSWRM	SSWRM-D8b SCALE: 1:4							
DRAWN BY :	NKT	T DATE: 29-Aug-2022 REVISED:							
Equus Waterproof Membran	e Details are s	necially drawn t	for use by Local Authorities B	uilding Contractors, Equus	Applicators Architects and design				




















specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right

Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accomodate job


to alter or upgrade details at any time without prior notice.

E-mail: admin@equus.co.nz











Web: www.equus.co.nz


PROJECT:	Warm R	Warm Roof on Metal Standard Detail - SOPRASUN						
TITLE :	Connec	Connection to External Gutter (PIR insulation)						
NUMBER :	SSWRM	SSWRM-D10a SCALE: 1:2						
DRAWN BY :	NKT	NKT DATE: 27-Aug-2022 REVISED:						
Equus Waterproof Membran	Equie Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equie Applicators, Architects and design							













PROJECT:	Warm Roof on Metal Standard Detail - SOPRASUN					
TITLE :	Connection to External Gutter (Mineral wool insulation)					
NUMBER :	SSWRM-D10b			SCALE:	1:2	
DRAWN BY :	NKT	DATE :	27-Aug-2022	REVISED:		l '
Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design						

