



**EQUUS SOPREMA  
FLAGON TPO-THERM  
WARM ROOF SYSTEM**  
Standard Details on Concrete Substrate




CELEBRATING  
**40** YEARS  
1982-2022




## CONTENTS

STWRC-D0a	Roof Built Up	1
STWRC-D1a	Upstand with Cladding	2
STWRC-D3a	Upstand with Termination onto a Chase	3
STWRC-D3b	Upstand Termination with Flashing and Pressure Bar	4
STWRC-D3c	Upstand with Pressure Termination Bar	5
STWRC-D4a	Parapet with Cap Flashing	6
STWRC-D5a	Drip Edge to Spouting	7
STWRC-D7a	Roof Penetration	8
STWRC-D8a	Skylight Detail	9
STWRC-D9a	Gutter Outlet	10
STWRC-D10a	Scupper Termination	11


- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑥ EQUUS FLAGON TPO single ply waterproofing membrane




 E-mail : <a href="mailto:admin@equus.co.nz">admin@equus.co.nz</a> Web : <a href="http://www.equus.co.nz">www.equus.co.nz</a>	PROJECT :	Single ply warm roof system on Concrete Standard Detail - TPO				
	TITLE :	Roof Built Up Detail				
	NUMBER :	STWRC-D0a	SCALE :	1:2		
	DRAWN BY :	NKT	DATE :	30-Jan-2023	REVISED :	
	<small>Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.</small>					



- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑥ EQUUS FLAGON TPO single ply waterproofing membrane
- ⑦ Cladding underlay by others
- ⑧ Cladding by others




<p>E-mail : <a href="mailto:admin@equus.co.nz">admin@equus.co.nz</a> Web : <a href="http://www.equus.co.nz">www.equus.co.nz</a></p>	PROJECT :	Single ply warm roof system on Concrete Standard Detail - TPO		
	TITLE :	Upstand with Cladding detail		
	NUMBER :	STWRC-D1a	SCALE :	1:2
	DRAWN BY :	NKT	DATE :	06-Feb-2023
			REVISED :	
<p>Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.</p>				



<p>E-mail : <a href="mailto:admin@equus.co.nz">admin@equus.co.nz</a> Web : <a href="http://www.equus.co.nz">www.equus.co.nz</a></p>	PROJECT :	Single ply warm roof system on Concrete Standard Detail - TPO		
	TITLE :	Upstand with termination onto a chase		
	NUMBER :	STWRC-D3a	SCALE :	NTS
	DRAWN BY :	NKT	DATE :	06-Feb-2023
			REVISED :	
<p>Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.</p>				
		<p>AUTHORISED DISTRIBUTOR <b>SOPREMA</b></p>		


- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑥ EQUUS FLAGON TPO single ply waterproofing membrane
- ⑦ Metal Flashing by others
- ⑧ EQUUS FLAGON Pressure termination bar
- ⑨ EQUUS FLAGON TPO Compatible Sealant



 E-mail : <a href="mailto:admin@equus.co.nz">admin@equus.co.nz</a> Web : <a href="http://www.equus.co.nz">www.equus.co.nz</a>	PROJECT :		Single ply warm roof system on Concrete Standard Detail - TPO			
	TITLE :		Upstand termination with flashing and pressure bar			
	NUMBER :		STWRC-D3b	SCALE :	NTS	
	DRAWN BY :		NKT	DATE :	06-Feb-2023	REVISED :
	<p><small>Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.</small></p>					

AUTHORISED DISTRIBUTOR  
**SOPREMA**

- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑥ EQUUS FLAGON TPO single ply waterproofing membrane
- ⑦ EQUUS FLAGON Pressure termination bar
- ⑧ EQUUS FLAGON TPO Compatible Sealant




E-mail : [admin@equus.co.nz](mailto:admin@equus.co.nz)  
Web : [www.equus.co.nz](http://www.equus.co.nz)

PROJECT :	Single ply warm roof system on Concrete Standard Detail - TPO		
TITLE :	Upstand with pressure termination bar detail		
NUMBER :	STWRC-D3c	SCALE :	NTS
DRAWN BY :	NKT	DATE :	06-Feb-2023
REVISED :			

Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.

AUTHORISED DISTRIBUTOR  
**SOPREMA**

- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑥ EQUUS FLAGON TPO single ply waterproofing membrane
- ⑦ Cap Flashing by others
- ⑧ Termination Bar (required only if not using parapet cap flashing)




E-mail : [admin@equus.co.nz](mailto:admin@equus.co.nz)  
Web : [www.equus.co.nz](http://www.equus.co.nz)

PROJECT :	Single ply warm roof system on concrete standard Detail - TPO		
TITLE :	Parapet with cap flashing		
NUMBER :	STWRC-D4a	SCALE :	1:2
DRAWN BY :	NKT	DATE :	06-Feb-2023
REVISED :			
<p><small>Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.</small></p>			







- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑥ EQUUS FLAGON TPO single ply waterproofing membrane
- ⑦ Aluminium drip edge flashing by others
- ⑧ Rain water system by others


E-mail : [admin@equus.co.nz](mailto:admin@equus.co.nz)  
Web : [www.equus.co.nz](http://www.equus.co.nz)

PROJECT :	Single ply warm roof system on concrete Standard Detail - TPO		
TITLE :	Drip edge to spouting		
NUMBER :	STWRC-D5a	SCALE :	NTS
DRAWN BY :	NKT	DATE :	07-Feb-2023
REVISED :			

Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.

AUTHORISED DISTRIBUTOR  
**SOPREMA**

- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑥ EQUUS FLAGON TPO single ply waterproofing membrane
- ⑦ 40 mm welded lap
- ⑧ EQUUS FLAGON TPO as separate piece
- ⑨ EQUUS FLAGON Mastic
- ⑩ Stainless steel clamp
- ⑪ EQUUS FLAGON TPO Compatible Sealant




E-mail : [admin@equus.co.nz](mailto:admin@equus.co.nz)  
Web : [www.equus.co.nz](http://www.equus.co.nz)

PROJECT :	Single ply warm roof system on concrete standard Detail - TPO		
TITLE :	Roof Penetration		
NUMBER :	STWRC-D7a	SCALE :	NTS
DRAWN BY :	NKT	DATE :	07-Feb-2023
REVISED :			

Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.




- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑥ EQUUS FLAGON TPO single ply waterproofing membrane
- ⑦ Skylight Joinery





 E-mail : <a href="mailto:admin@equus.co.nz">admin@equus.co.nz</a> Web : <a href="http://www.equus.co.nz">www.equus.co.nz</a>	PROJECT :	Single ply warm roof system on concrete standard Detail - TPO		
	TITLE :	Skylight Detail		
	NUMBER :	STWRC-D8a	SCALE :	1 : 4
	DRAWN BY :	NKT	DATE :	07-Feb-2023
			REVISED :	
Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.				
		AUTHORIZED DISTRIBUTOR <b>SOPREMA</b>		

- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ Plywood
- ⑥ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑦ EQUUS FLAGON TPO single ply waterproofing membrane
- ⑧ EQUUS FLAGON Mastic



 E-mail : <a href="mailto:admin@equus.co.nz">admin@equus.co.nz</a> Web : <a href="http://www.equus.co.nz">www.equus.co.nz</a>	PROJECT :		Single ply warm roof system on concrete standard Detail - TPO	
	TITLE :		Gutter Outlet Detail	
	NUMBER :	STWRC-D9a	SCALE :	1 : 3
	DRAWN BY :	NKT	DATE :	07-Feb-2023
			REVISED :	
Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.				

- ① Concrete Deck
- ② EQUUS Sopradere Quick or Aquadere bitumen primer
- ③ EQUUS Colphene 3000 Vapour Barrier
- ④ EQUUS PIR thermal insulation
- ⑤ EQUUS Approved adhesive for TPO single ply waterproofing membrane
- ⑥ EQUUS FLAGON TPO single ply waterproofing membrane
- ⑦ Cap Flashing by others
- ⑧ Termination Bar (required only if not using parapet cap flashing)
- ⑨ Cladding by others



PROJECT :	Single ply warm roof system on concrete standard Detail - TPO		
TITLE :	Scupper termination Detail		
NUMBER :	STWRC-D10a	SCALE :	NTS
DRAWN BY :	NKT	DATE :	07-Feb-2023
		REVISED :	

Equus Waterproof Membrane Details are specially drawn for use by Local Authorities, Building Contractors, Equus Applicators, Architects and design professionals. All details are drawn to assist in the development of project specific details. Details may be modified where necessary to accommodate job specific requirements but must be approved by Equus Industries Ltd. All components must be supplied by Equus Industries Ltd. Equus reserves the right to alter or upgrade details at any time without prior notice.