

MATERIAL SAFETY DATA SHEET

SDS 306 PAGE 1 OF 6

1. Product and Company Identification

1.1 PRODUCT NAME: CHEVALINE DEXX TOPCOAT

1.2 USE OF PRODUCT A durable glossy finishing coat for use as an integral part of

the Chevaline Dexx System on walkout decks and similar

trafficable areas.

1.3 SUPPLIER: Equus Industries Ltd

Sheffield Street

Riverlands Industrial Estate

Blenheim, Marlborough, New Zealand

Telephone: +64 3 578 0214 Email: admin@equus.co.nz

1.4 EMERGENCY CONTACT: National Poison Centre

Telephone: 0800 764 766

Information about Safety Data Sheet: Telephone: +64 3 578 0214 8:00am – 6:00pm Mon – Fri

1.5 Date of Preparation: 10 April 2021

2. Hazards Identification

2.1 Statement of Hazardous Nature:

Classified as hazardous according to New Zealand Hazardous Substances (Minimum degrees of hazard) Regulations 2017.

2.2 DG Status:

Not classified as Dangerous Good under NZ 5433:2012 Transport of Dangerous Goods on Land

2.3 Hazard Classification:

Class and GHS Category		HSNO Category	Hazard Statement	
Acute Toxicity: Dermal	Cat 5	6.1E (dermal)	May be harmful in contact with skin	
Skin Corrosion/Irritation	Cat 3	6.3B	Causes mild skin irritation	
Serious Eye Damage/Irritatio	n Cat 2	6.4A	Causes eye irritation	
Skin Sensitisation	Cat 1	6.5B	May cause an allergic skin reaction	
Reproductive Toxicity	Cat 2	6.8B	Suspected of damaging fertility or the unborn child	
Aquatic Toxicity (Chronic)	Cat 4	9.1D	Harmful to aquatic life	

2.4 Signal Word: Danger

2.5 Prevention Statements:

P103 Read instructions before use.

P202 Do not handle until all safety precautions have been read and understood

P261(mist/spray) Avoid breathing mist/spray.
P264(Hands) Wash thoroughly after handling

P272 Contaminated work clothing should not be allowed out of workplace.

P273 Avoid release into the environment (sewers, drains etc).
P280 (protective gloves) Wear protective gloves, clothing and eye protection.
P281 Use personal protective equipment as required

2.6 Response Statements:

•		
P332 + P313	If skin irritation occurs: Get medical advice/ attention	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.	Remove
	contact lenses, if present and easy to do. Continue rinsing	
P337 + P313	If eye irritation persists: Get medical advice/attention	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention	
P363	Wash contaminated clothing before re-use.	
P308 + P313	IF exposed or concerned: Get medical advice/ attention	
P312	Call a POISON CENTER or doctor/physician if you feel unwell	

2.7 Storage Statement:

P405 Store locked up

3. Composition/Information on Ingredients

3.1 Hazardous Components:

CAS NO.	COMPONENT	CONCENTRATION (% weight)	
25265-77-4	2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	<2.7	
26530-20-1	2-octyl-2H-isothiazol-3-one	<0.08	
50-00-0	Formaldehyde	<0.16	
872-50-4	N-methyl-2-pyrrolidone	<1.9	
34590-94-8	Dipropylene glycol monomethyl ether	<1.0	
1336-21-6	Ammonium Hydroxide	< 0.12	
-	Non-hazardous ingredients	Balance	

4. First Aid Measures

4.1 After Inhalation:

Remove person to fresh air.

4.2 After Skin Contact:

Wash with plenty of soap and water as a precaution. If skin irritation develops, consult a doctor.

4.3 After Eye Contact:

Immediately rinse with plenty of water for at least 10 minutes, while holding eyelid open. Remove contact lenses, if present and easy to do. If eye irritation persists, consult a doctor.

4.4 After Ingestion:

Drink 1 or 2 glasses of water. Consult a doctor if necessary. Never give anything by mouth to an unconscious person.

5. Fire Fighting Measures

5.1 Suitable Extinguishing Media:

Use extinguishing media appropriate for surrounding fire.

5.2 Protective Equipment:

Wear self contained breathing apparatus and protective suit.

5.3 Specific Hazards:

Material can splatter above 100°C. Dried product can burn.

5.4 Combustion Products:

Carbon monoxide, carbon dioxide, toxic fumes and smoke. May yield acrylic monomers.

6. Accidental Release Measures

6.1 Preliminary Action and Precautions:

- **6.1.1** Use personal protective equipment.
- **6.1.2** Keep people away from and upwind of spill/leak.
- **6.1.3** Material can create slippery conditions.
- **6.1.4** Contain spills immediately with inert materials (e.g. sand, earth etc.)
- **6.1.5** Transfer liquids and solid diking material to suitable containers for recovery or disposal.
- **6.1.6** Keep spills and cleaning run off from entering sewers, drains and open bodies of water.

7. Handling and Storage

7.1 Handling:

- **7.1.1** Avoid contact with eyes, skin and clothing.
- **7.1.2** Wash hands thoroughly after handling.
- **7.1.3** Keep containers tightly closed when not in use.
- **7.1.4** Do not breathe vapours, mist or gas.

7.2 Storage:

- **7.2.1** Store in a cool well-ventilated space.
- **7.2.2** Keep containers tightly closed at all times.

8. Exposure Controls and Personal Protection Equipment

8.1 Exposure Limits:

No values assigned for this specific material by the New Zealand Workplace Health and Safety Authority.

CHEMICAL NAME	CAS	REGULATION	LIMIT	
	NUMBER		ppm	mg/m³
Ammonium hydroxide	1336-21-6	WES/TWA	25	17
		WES/STEL	35	24
Formaldehyde	50-00-0	WES/TWA	0.5 (8hr shift)	121
1-methyl-2-pyrrolodone (skin)	872-50-4	WES/TWA	25	103
		WES/STEL	75	309
Dipropylene glycol mono methyl	34590-94-8	WES/TWA	100	606
ether (skin)		WES/STEL	150	909

8.2 Exposure Controls:

8.2.1 Exposure Controls in the Work Place

Use only in well ventilated areas. Provide maximum ventilation in enclosed area. Use local exhaust when the general, ventilation is inadequate.

8.2.2 Personal Protection Equipment:

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure, then an approved respirator with are placeable dust/particulate filter should be used. Reference should be made to Australia/New

Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances

Eye Protection

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australia/New Zealand Standard AS/NZS 1337 — Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. References should be made to AS/NZS 2161.1: Occupational protective gloves – Selection, use and maintenance.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial Clothing.

9. Physical and Chemical Properties

9.1 General Information:

Appearance Liquid

Colour Various colours

Odour Slight ammoniacal/acrylic

Odour ThresholdNot establishedPH9.0 -10.0Melting point/ freezing point<0°C</td>Initial Boiling Point/ Range>100°C

Flash Point

Evaporation rate

Flammability (solid,gas)

Upper/lower flammabilityor explosive limits

Vapour pressure

Vapour density

Not established
Not applicable
Not established
Not established

Relative density 1.1

Water Solubility (ies) Dilutable/partially soluble

Water solubility of ingredients 2,2,4-trimethyl-1,3-pentanediol monoisobutyrate

0.5-3.79g/I @25°C

N-methyl-2-pyrrolidone 1g/l@25°C

Partition coefficient:n-octanol/waterNot establishedAuto-ignition temperatureNot applicableDecomposition temperatureNot established

Viscosity Brookfield 50rpm, 6,000-12,000 cps @23°C

10. Stability and Reaction

10.1 General Information:

This product is stable, and no hazardous reactions are known.

10.2 Conditions to Avoid:

There are no known conditions which should be avoided.

10.3 Material to Avoid:

There are no known materials which are incompatible with this product.

Equus Industries Ltd, Sheffield Street, Riverlands Industrial Estate, Blenheim, Marlborough, New Zealand Telephone: +64 3 578 0214 Fax: +64 3 5780919 Email: admin@equus.co.nz Web: www.equus.co.nz

10.4 Hazardous Decomposition Products:

None expected when material properly handled and stored. For thermal decomposition see Section 5.

11. Toxicological Information

11.1 General Information:

No specific data is available for this material.

11.2 Skin Contact:

Prolonged or consistent skin contact may result in allergic dermatitis, May also cause sensitisation.

11.3 Eye Contact:

May cause slight irritation including redness and tear formation.

11.4 Ingestion:

May cause gastrointestinal discomfort. Symptoms may include nausea, vomiting, lethargy or diarrhoea.

11.5 Inhalation:

Inhalation may cause a slight irritation to the respiratory tract.

12. Ecological Information

12.1 Environment Protection:

Prevent from entering sewers, drains and waterways.

12.2 Ecotoxicity:

No product specific data available.

12.3 Persistence and degradability:

No product specific data available.

12.4 Bioacummulative Potential:

No product specific data available.

13. Disposal Consideration

13.1 Material:

Recycle or dispose of according to regulation by incineration in a special waste incinerator or landfill at a permitted facility in accordance with local/national regulations.

14. Transport Information

14.1 Land Transport:

Not regulated under NZS 5433 for land transport.

14.2 Sea Transport: (IMO/IMDG): Not regulated.

14.3 Air Transport: (IATA/ICAO): Not regulated.

15. Regulatory Information

15.1 HSNO Approval:

Approved Code: HSR002670

HSNO Group Standard: Surface Coatings and colourants (Subsidiary Hazard)

Equus Industries Ltd, Sheffield Street, Riverlands Industrial Estate, Blenheim, Marlborough, New Zealand Telephone: +64 3 578 0214 Fax: +64 3 5780919 Email: admin@equus.co.nz Web: www.equus.co.nz

15.2 HSNO Controls:

Approved Handler: Not required.

16. Other Information

16.1 Hazard Classifications:

6.1E(dermal) Substances that are acutely toxic Substances that are acutely toxic

6.3B Substances that are mildly irritating to the skin.
6.4A Substances that are irritating to the eye
6.5B Substances that are contact sensitisers.

6.8B Substances that are suspected human reproductive or

developmental toxicants.

9.1D Substances that are slightly harmful to the aquatic environment or

are otherwise designed for biocidal actions

16.2 Abbreviations/Terminology:

HSNO Hazardous substances and New Organisms Act

CAS Chemical Abstract Service

WES Workplace Exposure Standard (Worksafe NZ)

TWA Time weighted average exposure level designed to protect from the

effects of long-term exposure.

STEL Short-term Exposure Level (15 minutes)

16.3 Issue Information:

Date of Preparation: 10 April 2021

Reasons: Update and format change

Replaces: 1 July 2007

16.4 The information contained in this Data Sheet relates only to the specific material identified. Equus Industries Ltd believes the information to be accurate and reliable as at the date of this Data Sheet. No Warranty, Guarantee or representation is expressed or implied by the Company as to the absolute correctness or completeness of any representation contained in this Data and assumes no legal responsibility in connection therewith. It can not be assumed that all acceptable safety measures are contained in this Data Sheet, or that additional measures may not be required under particular or exceptional circumstances or conditions.