




WATERPROOFING

# SOPRASEAL<sup>®</sup> STICK VP-S FR



## VAPOUR PERMEABLE AIR BARRIER MEMBRANE



SOPRASEAL STICK VP-S FR is a self-adhesive vapour-permeable air-barrier membrane with a tri-laminated polypropylene complex on its surface. Used in wall and roof constructions, it stands out due to its unmatched adhesive properties. Its width and self-adhesive underface, protected by a silicone release film, make it very easy to install. It can be used on most building surfaces, such as masonry, concrete, wood and gypsum.

- Better adhesive properties than competitive products
- No primer required
- UV exposure up to 180 days
- Self-sealing membrane ensuring continuous waterproofing

### SURFACE PREPARATION

The substrate must be clean, sound, free of excess of water and loose materials, grease and any contaminants, which may compromise the performance of the product.

### COMPLEMENTARY PRODUCT

#### NEOPRENE ROLLER

Maximizes SOPRASEAL STICK VP-S FR membrane adhesion.

#### SOPRASEAL STICK FLASHPRO HT

Ensure sealing of various openings.

### SOPRASEAL STICK VP-S FR

THICKNESS	0.78 mm
DIMENSIONS	1.22 x 30.48 m
SURFACE	Tri-laminated polypropylene complex
UNDERFACE	Self-adhesive, covered with a silicone release film
VAPOUR CLASSIFICATION (ASTM E96)	Class 4 Vapour Permeable



[www.equus.nz](http://www.equus.nz)

[info@equus.nz](mailto:info@equus.nz)

## INSTALLATION INSTRUCTIONS

1



Peel off the top portion of the silicone release film and adhere the membrane to the substrate, making sure the membrane is well aligned.

2



Gradually peel off the remaining silicone release film, making sure the membrane adheres completely to avoid air pockets and wrinkles.

3



Use a roller to apply pressure over the entire surface of the membrane to ensure uniform adhesion to substrate.

4



Use a compatible sealant to seal around details, reverse laps and critical areas.

If you have any questions about this product or its installation, please contact Equus, your SOPREMA Authorised Distributor.