



SDS 283



SAFETY DATA SHEET (NZ Supplement Sheet)

Product: Keim Ecosil-ME

NZ Supplier: Equus Industries Ltd
Sheffield Street Riverlands Estate
Blenheim, Marlborough 7274
Ph: 03 5780214
Email: admin@equus.nz

Emergency Phone Number: National Poison Center 0800POISON (0800 764 766)

Hazardous Status:

Not classified as hazardous according to New Zealand Hazardous Substance Regulations 2017

HSNO Group and Approval Number:

Not Applicable

Transport:

Regulated for Transport :	Refer to Section 14 of attached SDS
Hazchem:	Not Applicable
Marine Pollutant:	No

NB. This Supplement Sheet must be read in conjunction with the attached

SDS – Keim Ecosil-ME Revision Date: 28/05/2024
Version No' 13.1



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31



SDS 283

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **KEIM ECOSIL-ME**

Nanoform: This product contains nanoforms.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Silicate interior paint

Uses advised against All other uses are not recommended.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

KEIMFARBEN GMBH

Keimstraße 16 / 86420 Diedorf

Tel. +49 (0)821 4802-0

Fax +49 (0)821 4802-210

www.keim.com / info@keimfarben.de

New Zealand Supplier:

Equus Industries Ltd

Sheffield Street, Riverlands Industrial Estate

Blenheim, Marlborough 7274

Telephone: 03 5780214

Email: admin@equus.co.nz

Further information obtainable from:

Product safety department

Telefon: 49(0)821/4802-138

E-Mail: sdb.info@keimfarben.de

1.4 Emergency telephone number:

GBK GmbH Global Regulatory Compliance

Emergency number: +49(0)6132/84463

Emergency Telephone Number:

NZ Poison Centre

Telephone: 0800 764 766

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.

Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous solution of alkali silicate and mineral mixture

(Contd. on page 2)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 1)

· Dangerous components:

CAS: 1312-76-1 EINECS: 215-199-1 Reg.nr.: 01-2119456888-17-XXXX	Silicic acid, potassium salt ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 40 % Eye Irrit. 2; H319: C ≥ 40 % STOT SE 3; H335: C ≥ 40 %	≥2.5-≤10%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] ⚠ Carc. 2, H351	2.5-10%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] ⚠ Carc. 2, H351 Nanoform: Structure: crystalline forms	≥1-≤2.5%

· Additional information:

Route of exposure: Inhalation/contraction not given.
Alveolar particles (diameter ≤ 10 µm) bound in the paint matrix.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:** When seeing the doctor we suggest to present this safety data sheet.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

DEN

(Contd. on page 3)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
carbon oxide (COx)
silicon dioxid (SiO₂)
- **5.3 Advice for firefighters**
- **Special protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Respect the protection rules (see section 7 and 8).
Avoid contact with skin and eyes.
Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**
Do not allow product to reach soil, sewage system or any water course.
Follow local governmental rules and regulations.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Dispose of the material collected according to regulations.
Clear contaminated areas thoroughly.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep receptacles tightly sealed.
Avoid contact with skin and eyes.
Do not inhale aerosols.
See item 8 (8.2) for information about suitable protective equipment and technical precautions.
Respect the protection rules.
- **Information about fire - and explosion protection:**
No special measures required.

(Contd. on page 4)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 3)

The product is not flammable.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Keep in the original containers in a cool and dry place.

· **Information about storage in one common storage facility:** Do not store together with acids.

· **Further information about storage conditions:**

Protect from frost.

Store in a cool place.

Protect from heat and direct sunlight.

· **Storage class:** 12

· **GISCode** BSW40 Beschichtungsstoffe, wasserbasiert, alkalisch

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

AGW (Germany)	Long-term value: $1.25 \cdot 10^{**} \text{ mg/m}^3$ 2(II);*alveolengängig**eintembar; AGS, DFG, Y
---------------	-------------------------------------------------------------------------------------------------------

· **DNELs**

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

Inhalative	Long-term - systemic effects	0.8 mg/m ³ (worker)
------------	------------------------------	--------------------------------

· **PNECs**

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

Aquatic compartment - freshwater	0.127 mg/l (Freshwater)
Aquatic compartment - marine water	>1 mg/l (Seawater)
Aquatic compartment - sediment in freshwater	>1,000 mg/kg sed dw (Freshwater)
Aquatic compartment - sediment in marine water	>100 mg/kg sed dw (Seawater)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale aerosols.

· **Respiratory protection:**

Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 5)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 4)

- Filter: P
- **Hand protection** Protective gloves
- **Material of gloves**
suitable material e.g.:
Nitrile impregnated cotton-gloves
Butyl rubber, BR
Recommended thickness of the material: ≥ 0.5 mm
PVC or PE gloves
Recommended thickness of the material: ≥ 0.5 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
Value for the permeation: level ≥ 6 (480 min)
The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection**
Goggles recommended during refilling
Tightly sealed goggles
- **Body protection:** Protective work clothing
- **Environmental exposure controls**
See Section 12 and 6.2
No further relevant information available.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Different, according to colouring.
- **Odour:** Weak, characteristic
- **Odour threshold:** Not determined
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** Not determined
- **Flammability** Not applicable
- **Lower and upper explosion limit**
- **Lower:** Not applicable
- **Upper:** Not applicable
- **Flash point:** Not applicable
- **Auto-ignition temperature:** Not determined
- **Decomposition temperature:** Not determined

(Contd. on page 6)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 5)

· pH at 20 °C	~11*
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic at 20 °C:	1,400-1,900* mPas
· Solubility	
· water:	Miscible
· Partition coefficient n-octanol/water (log value)	Not applicable
· Vapour pressure at 20 °C:	~23 hPa
· Density and/or relative density	
· Density at 20 °C:	1.4-1.7* g/cm ³
· Relative density	Not determined
· Vapour density	Not applicable.
· Particle characteristics	13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]: Structure: crystalline forms

· 9.2 Other information	* The values are for freshly produced material and may change with the time.
· Appearance:	
· Form:	Pasty
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not applicable

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void

(Contd. on page 7)

DEN



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 6)

- | | |
|---------------------------------------|--------------------------------------------|
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |
| · Other safety characteristics | |
| · Photocatalytic properties | The product has photocatalytic properties. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Acids
- **10.6 Hazardous decomposition products:**
In case of fire, the following can be released:
Carbon oxides (CO_x)
silicon dioxid (SiO₂)
No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Oral	LD50	>5,000 mg/kg (rat) (OECD 425)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/l (rat)
	NOAEL	3,500 mg/kg /Oral (rat) (90d)

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Oral	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h	>6.82 mg/l (rat)

- **Skin corrosion/irritation**
Frequent persistent contact with the skin may cause skin irritation.
Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
In case of longer exposure, slightly irritating effect to the eyes is possible.
Based on available data, the classification criteria are not met.
- **during inhalation:** Irritant effect possible.
- **during swallowing:** Irritant effect possible

(Contd. on page 8)

DEN



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 7)

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology):**
Experimental analysis are not available.
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
- **Subacute to chronic toxicity:**

· **Repeated dose toxicity**

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

Inhalative | NOAEC | 10 mg/m³ (rat) (90d)

- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** Not applicable
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

NOEC $\geq 100,000$ mg/kg (Freshwater sediment) (ASTM 1706)

Hyaella azteca

EC 50 $>10,000$ mg/l (algae) (ISO 10253)

>100 mg/l (Freshwater algae) (OECD 201)

LC 50 $>10,000$ mg/l (marine fish) (OECD 203)

$>1,000$ mg/l (freshwater fish) (EPA-540/9-85-006)

$>1,000$ mg/l (daphnia) (OECD 202)

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

ErC50/72h >100 mg/l (algae)

LC 50/96 h $>1,000$ mg/l (*Pimephales promelas*)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 9)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 8)

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **AOX-indication:**

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

· **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**

The product contains BaSO₄, TiO₂, ZnS.

· **General notes:**

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· **European waste catalogue**

08 01 12	waste paint and varnish other than those mentioned in 08 01 11
----------	----------------------------------------------------------------

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **ADR, IMDG, IATA** Void

· **14.3 Transport hazard class(es)**

· **ADR, IMDG, IATA**

· **Class** Void

(Contd. on page 10)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: KEIM ECOSIL-ME

(Contd. of page 9)

- | | |
|-----------------------------------------------------------------------|----------------|
| · 14.4 Packing group
· ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards:
· Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
For information on labelling please refer to section 2 of this document.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

Not relevant.

· **ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 11)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.05.2024

Version number 13.1 (replaces version 13.0)

Revision: 28.05.2024

Trade name: **KEIM ECOSIL-ME**

(Contd. of page 10)

- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable
- **Product-Code/Giscode:** BSW40
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.
- **15.3 New Zealand HSNO:** Product not classified as hazardous according to criteria EPA.NZ.GH7

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department

- **Version number of previous version:** 13.0

· **Abbreviations and acronyms:**

BOELV: Binding Occupational Exposure Limit Values

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

AGW: Arbeitsplatzgrenzwert (Germany)

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- *** Data compared to the previous version altered.**