

Safety data sheet
according to UK REACH

Printing date 23.01.2025 Version number 14 (replaces version 13) Revision: 23.01.2025 Page 1/9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: UNIFIX-S3 (B-Komp.)**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· No further relevant information available.

· **Application of the substance / the mixture** Tile adhesive

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

SCHOMBURG GmbH & Co. KG
Aquafinstr. 2-8
D-32760 Detmold
Detmold, Germany

· **New Zealand Supplier:**

Equus Industries Ltd
Sheffield St, Riverlands Industrial Estate
Blenheim, Marlborough

Tel: ++49 (0)5231/953-00
Fax: ++49 (0)5231/953-123
Internet: www.schomburg.de

Tel: +64 03 578 0214
Fax: +64 03 578 0919
Email: admin@equus.co.nz

· **Informing department:**

Product Safety Department

Tel: ++49 (0)5231/953-770
email: SDB@schomburg.de
Department: Environment and Safety

If you have any questions about the Environment and Safety Department, please contact our department.

e-mail: SDB@schomburg.de
Department: Environment & Safety

· **1.4 Emergency telephone number:**

Poison centre Berlin (24 hours)
German & English
Tel: ++49 (0)30/30686700

· **New Zealand National Poison Centre:**

Tel: 0800 764 766

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

· The product is not classified, according to the GB CLP regulation.

· **Classification according to NZ HSNO Legislation:** This product is not classified as hazardous

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:**

EUH208 Contains 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 2)

Trade name: **UNIFIX-S3 (B-Komp.)**

(Contd. of page 1)

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**· **Description:** dispersion· **Dangerous components:**

CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one <div style="font-size: small; margin-top: 5px;"> ⚠ Acute Tox. 2, H330; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 ATE: LD50 oral: 450 mg/kg LC50/4 h inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.036 % </div>	0.005-<0.025%
CAS: 2682-20-4 EINECS: 220-120-9 Index number: 613-088-00-6	2-methyl-2H-isothiazol-3-one <div style="font-size: small; margin-top: 5px;"> ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 % </div>	<0.0015%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) <div style="font-size: small; margin-top: 5px;"> ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % </div>	<0.0015%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**· **General information**

Personal protection for the First Aider.

Personal protection for the First Aider.

It is possible to choke in case of vomiting in unconsciousness.

Bring unconscious persons into a stable position on side.

Keep the respiratory tract free (remove dentures and vomiting).

Check the pulse. In case of heart failure you have to make a cardiac massage. In case of stoppage of breathing: artificial respiration.

Take up a doctor immediately!

· **After inhalation** Supply fresh air or oxygen; call for doctor.· **After skin contact**

Change immediately heavy contaminated clothes.

Don't use solvents to clean the skin.

· **After eye contact** Rinse opened eye for several minutes under running water.· **After swallowing**

Drink copious amounts of water. Avert vomiting. Instantly call for doctor.

(Contd. on page 3)

Safety data sheet

according to UK REACH

Printing date 23.01.2025

Version number 14 (replaces version 13)

Revision: 23.01.2025

Trade name: **UNIFIX-S3 (B-Komp.)**

(Contd. of page 2)

No administration of home remedies (milk, alcohol, oil, etc.).
 Drink copious amounts of water and provide fresh air. Instantly call for doctor.
 Show the packaging or the label to the doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
 Use fire fighting measures that suit the environment.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear self-contained breathing apparatus.

· **Additional information**

Product is inflammable during water-component is existing.

Follow the emergency-plan.

Burst- and explosion-danger by increasing pressure.

In case of fire chill the container with water spray.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Bring persons out of danger.

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **6.4 Reference to other sections**

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** Keep out of the reach of children

· **Information about protection against explosions and fires:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:** No special requirements.

· **Information about storage in one common storage facility:**

Please follow the rules of the VCI-Storage-Concept for chemicals.

· **Further information about storage conditions:** None.

· **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

Trade name: **UNIFIX-S3 (B-Komp.)**

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls**
It must be possible to wash the skin in the working area.
Eye-wash bottle must be available.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**
Wash hands during breaks and at the end of the work.
The usual precautionary measures should be adhered to in handling the chemicals.
Do not eat, drink or smoke while working.
Use skin protection cream for preventive skin protection.
Be sure to clean skin thoroughly after work and before breaks.
- **Breathing equipment:** Not required.
- **Hand protection**
In case of wearing synthetic protective gloves use cotton-gloves as underwear.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Gloves made of: Natural latex, polychloroprene, nitrile rubber.
(Chemical protection gloves of category 3, recognisable by the CE mark with four-digit test number).
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Not suitable are gloves made of the following materials:**
Leather gloves
Strong gloves
- **Eye/face protection** Suitable safety goggles in accordance with DIN EN 166.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Liquid
- **Colour:** White
- **Smell:** Ester-like
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** 100 °C
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.

(Contd. on page 5)

Safety data sheet

according to UK REACH

Printing date 23.01.2025

Version number 14 (replaces version 13)

Revision: 23.01.2025

Trade name: **UNIFIX-S3 (B-Komp.)**

(Contd. of page 4)

· Flash point:	Not applicable
· Decomposition temperature:	Not determined.
· pH at 20 °C	10
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	40 mPas
· Solubility	
· Water:	miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Steam pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C	1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Solvent separation test	
· Organic solvents:	0.0 %
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.

(Contd. on page 6)

Safety data sheet

according to UK REACH

Printing date 23.01.2025

Version number 14 (replaces version 13)

Revision: 23.01.2025

Trade name: **UNIFIX-S3 (B-Komp.)**

(Contd. of page 5)

- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **LD/LC50 values that are relevant for classification:**
- | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------|--|
| 2634-33-5 1,2-benzisothiazol-3(2H)-one | | | |
| Oral | LD50 | 450 mg/kg (ATE) | |
| | | 670 mg/kg (rats) (OECD 401) | |
| Dermal | LD50 | >2,000 mg/kg (rats) (OECD 402) | |
| Inhalative | LC50/4 h | 0.21 mg/l (ATE) | |
| 2682-20-4 2-methyl-2H-isothiazol-3-one | | | |
| Oral | LD50 | 120 mg/kg (rats) (EPA OPPTS 870.1100) | |
| Dermal | LD50 | 242 mg/kg (rats) (OECD 402) | |
| 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | | |
| Oral | LD50 | 64 mg/kg (rats) | |
| Dermal | LD50 | 87.12 mg/kg (Kan) | |
| Inhalative | LC50/4 h | 0.33 mg/l (rats) | |
- **Primary irritant effect:** No irritant action known.
 - **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
 - **Serious eye damage/irritation**
Irritate-effect is possible.
Based on available data, the classification criteria are not met.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.
 - **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
-
- None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
- | | |
|-----------------------------------------------|--------------------------------------------------------|
| 2634-33-5 1,2-benzisothiazol-3(2H)-one | |
| EC 50 | 0.11 mg/kg /72h (Selenastrum capricornutum) (OECD 201) |
| LC50/96h | 2.2 mg/l (rainbow trout) (OECD 203) |
| EC50 (48h) | 3.27 mg/l (Daphnia (acute) toxicity) (OECD 202) |
| NOEC | 1.2 mg/l /21d (Daphnia magna) (OECD 211) |
| | 0.04 mg/l /72h (Selenastrum capricornutum) (OECD 201) |
| | 0.21 mg/l /28d (rainbow trout) (OECD 215) |
| 2682-20-4 2-methyl-2H-isothiazol-3-one | |
| LC50 (48h) | 0.934 mg/l (Daphnia magna) (OECD 202) |

(Contd. on page 7)

Safety data sheet

according to UK REACH

Printing date 23.01.2025

Version number 14 (replaces version 13)

Revision: 23.01.2025

Trade name: **UNIFIX-S3 (B-Komp.)**

(Contd. of page 6)

LC50/96h 4.77 mg/l (rainbow trout) (OECD 203)
 EC/LC50 (72h) 0.103 mg/l (algae toxicity) (OECD 201)
 NOEC 0.04 mg/l (Daphnia magna) ((21 d))
 2.1 mg/l (Pimephales promelas) ((33 d))

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LC50 (48h) 0.16 mg/l (Daphnia magna) (vgl OECD 202)
 LC50/96h 0.19 mg/l (rainbow trout) (vgl. OECD 203)
 ERC50 0.0052 mg/l (algae toxicity) (48h, OECD 201)
 NOEC 0.1 mg/l (Daphnia magna) (21 d)
 0.05 mg/l (rainbow trout) (14 d)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class | Void |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: | No |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user | Not applicable. |
| <ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |

(Contd. on page 8)

Trade name: **UNIFIX-S3 (B-Komp.)**

(Contd. of page 7)

· UN "Model Regulation": Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated poisons:** None of the ingredients is listed.
- **Reportable explosives precursors:** None of the ingredients is listed.
- **Reportable poisons:** None of the ingredients is listed.
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed
-
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H310 Fatal in contact with skin.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H330 Fatal if inhaled.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH071 Corrosive to the respiratory tract.

- **Department issuing data specification sheet:** Environment protection department.

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 ATE: Acute toxicity estimate values
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 4: Acute toxicity – Category 4
 Acute Tox. 2: Acute toxicity – Category 2
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Skin Corr. 1C: Skin corrosion/irritation – Category 1C
 Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 9)

Safety data sheet
according to UK REACH

Printing date 23.01.2025

Version number 14 (replaces version 13)

Revision: 23.01.2025

Trade name: UNIFIX-S3 (B-Komp.)

(Contd. of page 8)

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· *** Data compared to the previous version altered.**

GB